

1

Ohio Department of Natural Resources
Division of Water
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 493902

ORIGINAL OWNER AND LOCATION

Original Owner Name: Non Ri

County: BUTLER

Address: NON RESP

City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 6 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

WELL TEST DETAILS Static Water Level: 17 ft.

Drawdown: 5 ft.

COMMENTS:

WELL LOG Formations TOP SOIL

SAND & GRAVEL

Township: ST. CLAIR

Section Number: 15

Lot Number:

State: OH

Zip Code:

Location Map Year: 1988

Longitude:

Location Area:

Depth to Bedrock: Casing Thickness: Total Depth: 40 ft. Casing Length: 41 ft.

Screen Length:

Date of Completion: 10/20/1975

Dritter's Name: TREADWAY DRILLING

Test Rate: 1 gpm

Test Duration: 1 hrs.

Associated Reports

NONE

From To

0 - 3

3 - 40

Printing Tips (opens in new window)

Well log questions - Web site questions - Web policies

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources Division of Water

Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 390372

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address: NON

City:

Location Number: 23

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 4 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

WELL TEST DETAILS

Static Water Level:

Drawdown:

COMMENTS:

WELL LOG

mations ? SOIL SOIL

SAND & CLAY

SAND & GRAVEL

WATER AT

Township: ST. CLAIR

Location Map Year: 1984

Section Number: 15

Lot Number:

State: OH

Zip Code:

Location Area:

Longitude:

Depth to Bedrock:

Casing Thickness: Screen Length:

Total Depth: 40 ft.

Casing Length: 40 ft.

Date of Completion: 3/10/1970

Driller's Name: HOOVER WELL DRILLING

Test Rate: 20 gpm

Test Duration:

Associated Reports

NONE

From To

0 - 1 1 - 2

2 - 3

3 - 40

18 - 18

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources Division of Water

Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 566436

ORIGINAL OWNER AND LOCATION

Original Owner Name: M

County: BUTLER Address:

City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 6 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

WELL TEST DETAILS Static Water Level: 15 ft.

Drawdown: 20 ft.

COMMENTS:

Township: ST. CLAIR

Section Number: 15

Lot Number:

State: OH Zip Code:

Location Map Year: 1988

Longitude:

Location Area:

Depth to Bedrock: Casing Thickness: Total Depth: 42 ft. Casing Length: 42 ft.

Screen Length:

Date of Completion: 12/18/1979

Driller's Name: TREADWAY DRILLING

Test Rate: 1 gpm Test Duration: 0.5 hrs. **Associated Reports**

NONE

WELL LOG **Formations** TOP SOIL SAND & GRAVEL

From To 0 - 3

3 - 42

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.





Ohio Department of Natural Resources Division of Water

Phone: 614-265-6740 Fax: 614-265-6767

Driller's Name: TREADWAY WELL DRILLING

Section Number:

Lot Number:

Location Area:

Total Depth: 40 ft.

Casing Length: 41 ft.

Associated Reports

NONE

Date of Completion: 5/24/1988

Zip Code:

Township: ST. CLAIR

Location Map Year:

Depth to Bedrock:

Casing Thickness:

Screen Length:

Test Rate: 10 gpm

Test Duration: 1 hrs.

State: OH

Longitude:

Well Log Number: 670191

ORIGINAL OWNER AND LOCATION

Original Owner Name: NON RES

County: BUTLER

Address: City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 6.63 in.

Well Use:

Agulfer Type: SAND AND GRAVEL

WELL TEST DETAILS Static Water Level: 17 ft.

Drawdown: 3 ft.

COMMENTS:

WELL LOG

mations P SOIL

SAND & GRAVEL

BLU CLAY SAND & GRAVEL From To 0 - 3

3 - 34

34 - 38

Printing Tips (opens in new window)

38 - 40

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources Division of Water Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 141241

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address: City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 6 in.

Well Use:

Aquifer Type: GRAVEL

WELL TEST DETAILS

Static Water Level: 19 ft.

Drawdown: 0 ft.

Test Rate: 8 gpm

Test Duration: 1 hrs.

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name:

Township: ST. CLAIR

Location Map Year: 1969

State: OH

Longitude:

Total Depth; 35 ft.

Section Number:

Lot Number:

Location Area:

Zip Code:

Casing Length: 35 ft.

Date of Completion: 7/4/1963

Associated Reports NONE

COMMENTS:

WELL LOG

Formations CLAY

COARSE GRAVEL PEA GRAVEL

GRAVEL

SAND

WATER AT

From To 0

35 - 35

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

WELL LOG AND DRILLING REPORT

PLEASE USE PENCIL OR TYPEWRITER

State of Oblo DEPARTMENT OF NATURAL RESOURCES

Division of Water

Nº 352401

DO NOT USE INK.

1562 W. First Avenue Columbus, Ohio 43212

Township. Section of Township... Owner Locatio CONSTRUCTION DETAILS BAILING OR PUMPING TEST Casing diameter 600 Length of casing.G.P.M. Duration of test.... Pumping Rate Drawdown _ft Date__ Type of screen... Length of screen Static level-depth to water..... Type of pump_ Quality (clear, cloudy, taste, odor) ... Capacity of pump_ Depth of pump setting... Pump installed by. Date of completion WELL LOG* **SKETCH SHOWING LOCATION Formations** Locate in reference to numbered State Highways, St. Intersections, County roads, etc. Sandstone, shale, limestone,
gravel and clay From To 0 Feet FŁ 60 See reverse side for instructions Date Drilling Firm *If additional space is needed to complete well log, use next consecutive numbered for



Ohio Department of Natural Resources Division of Water

Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 896565

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address: NON City: HAMILTON

Location Number:

Latitude:

Township: ST. CLAIR

Location Map Year:

State: OH

Longitude:

Section Number:

Lot Number:

Zip Code: 45011

Location Area:

CONSTRUCTION DETAILS

Borehole Diameter: 6.25 in. Casing Diameter: 6.25 in. Well Use: DOMESTIC

Aquifer Type: SHALE

Depth to Bedrock: Casing Thickness: 0.188 in. Total Depth: 45 ft.

Screen Length:

Casing Length: 46 ft.

Date of Completion: 11/1/1999

Driller's Name: YEAGER WELL DRILLING & PUMPS

WELL TEST DETAILS

Static Water Level: 43 ft.

Drawdown: 2 ft.

Test Rate: 10 apm

Associated Reports NONE

Test Duration: 0.5 hrs.

COMMENTS:

WELL PULLED BACK & FINISHED AT 45 HOLE FILLED WITH GRAVEL TO 45

MÈTT TOG	
rmations	From To
TOP SOIL	0 - 1
DIRTY SAND & GRAVEL	1 - 45
GRY CLAY	45 - 50
SHALE	50 E2

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

ORIGINAL

NO CARBON PAPER NECESSARY...

State of Ohio DEPARTMENT OF NATURAL RESOURCES Division of Water

445764

65 S. Front St., Rm. 815 Phone (614) 469-2646 Columbus, Ohio 43215 Section of Township County Butler Township St Clair

NON RESPONSIVE			increase of sommer increase in the second of sommer increase of sommer increase in the second of some increase in the second of some increase in the second of second of some increase in the second of second
Owner -			
Location			
CONSTRUCTION	DETAILS	}	BAILING) OF PUMPING TEST (Specify one by circling)
Casing diameter 6"00 Ion	agth of casis	<u>~ 45'</u>	Test Rate le DO + G.P.M. Duration of test hr
	ngth of scree		Drawdown CD-Maw Po Date 10/12/72
Type of pump			Static level-depth to water 33
Capacity of pump 3.00	GPH	· ·	Quality (clear, cloudy, tasts, odor)
Depth of pump setting 43		<u> </u>	
Date of completion 10 / 13	175		Pump installed by Treasure Live Bull
WELL L)@ *		SKETCH SHOWING LOCATION
Formations Sendstone, shale, limestone, gravel and clay	From	To	Locate in reference to numbered State Highways, St. Intersections, County roads, etc.
licaget	0 Feet	5 BE	MON RESPONSIVE NUM RESPONSIVE
	5	45	K
Everel	 - 	30	
	 		
water of 331.		<u> </u>	
•	•		
	 		W
•	.		
· · · · · · · · · · · · · · · · · · ·			
	ĺ		
			1 \ 50.
Belle Blooding	2 Mey	Million	Date 10 / 12 / 72
Drilling Firm Shorth Son	Helan	ह्रिय है	Production (
Address Namilton 1	9/10	क्रा	Signed W. Children
1.00		_	ell log, use next consecutive numbered form
ATT SERVICES SPREAD OF THE		w	



Ohio Department of Natural Resources Division of Water

Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 238720

DRIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address: NON City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 6 in.

Well Use:

Aquifer Type: UMESTONE

WELL TEST DETAILS Static Water Level: 10 ft.

Drawdown: 5 ft.

Test Rate: 8 gpm

Depth to Bedrock:

Casing Thickness:

Screen Length:

Test Duration: 1 hrs.

Township: ST. CLAIR

State: OH

Location Map Year: 1969

Longitude:

Section Number: 14

Lot Number: Zip Code: **Location Area:**

Total Depth: 70 ft, Casing Length: 37 ft.

Date of Completion: 6/20/1960

Associated Reports

NONE

COMMENTS:

WELL LOG ormations OP SOIL

SAND & GRAVEL LIMESTONE

WATER AT

From To

0 - 10

Driller's Name: AGNEW MARSHALL

10 - 26

26 - 70

18 - 18

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.



County Permit No.

NO CARBON PAPER

NECESSARY-

SELF-TRANSCRIBING

WE' LOG AND DRILLING RETORT

State of Ohio

DEPARTMENT OF NATURAL RESOURCES
Division of Water

Division of Water
Fountain Square
Columbus, Ohio 43224

530553

N

COUNTY Butter	. TOWNSHIP	St. Cl.	2/1 SECTION OF TOWNSHIP
OWNER _			
CONSTRUCTION	DETAILS		BAILING OR PUMPING TEST
Type of screen	ngth of casing_	<i>51'</i>	Test rate 30 gpm Duration of test 15 hrs Drawdown 6t Date 9-19-77 Static level (depth to water) 6t Quality (clear, cloudy, taste, odor)
Date of completion 9-19-	-7 <u>7</u>	÷	SKETCH SHOWING LOCATION
Formations: sandstone, shale, limestone, gravel, clay	From	То	Locate in reference to numbered state highways, street intersections, county roads, etc.
Sand - Strout	0 ft /) ft	

Hornitan, Olive 4504

*If additional space is needed to complete well log, use next consecutive numbered form.



Ohio Department of Natural Resources
Division of Water
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 149874

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address: NON

City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 4.25 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

WELL TEST DETAILS Static Water Level: 15 ft.

Drawdown:

COMMENTS:

WELL LOG Commations SAND & GRAVEL Township: ST. CLAIR

Location Map Year: 1988

Section Number: 17

Lot Number:

Zip Code:

Location Area:

Longitude:

State: OH

Depth to Bedrock: Casing Thickness: Screen Length:

Driller's Name: TREADWAY V L

Total Depth: 43 ft.

Casing Length: 43 ft.

Date of Completion: 5/5/1955

Test Rate: 10 gpm Test Duration: **Associated Reports**

NONE

From To 0 - 43

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

WEI LOG AND DRILLING REFORT

MIGHA

NO CARBON PAPER NECESSARY -SELF-TRANSCRIBING

State of Ohio DEPARTMENT OF NATURAL RESOURCES Division of Water Fountain Square Columbus, Ohio 43224

502613

COUNTY Butte	- TOWNSHIP.	St Co	SECTION OF TOWNSHIP
OWN ER			
LOCATIO			
CONSTRUCTION	DETAILS		BAILING OR PUMPING TEST
Casing diameterL	ngth of casing,	Test rate 20 gpm Duration of test 2	
Type of screenLe	ngth of screen.		Drawdown U ft Date 7-4-7U
Type of punyi	·- <u>-</u>		Static level (depth to water)46
Capacity of pump		·	Quality (clear, cloudy, teste, odor)_Cl
Depth of pump setting			<u> </u>
Date of completion 7 - 3 -	74		Pump installed by
WELL LOGO.			SKETCH SHOWING LOCATION
Formetions: sendstone, shele, Limestone, gravel, clay From To			Locate in reference to numbered state highways, street intersections, county roads, etc.
topsail	0 ft	J 4	N.
- brown cla	3	4	NON RESPONSIVE
Sand amuse	4	63	
8			
		•	
			V
	·		
			
.: 76	1. A		
		i·i	
	100 37.110		
			5
THEADWAY W	FIL DR	ממווו	DATE
ADDRESS 3775 Taylo		d	SIGNED
Hamiltonial space is needed to		og, use next co	nsecutive numbered form.

2000

WELL LOG AND DRILLING REPORT

State of Ohio DEPARTMENT OF NATURAL RESOURCES Division of Water

Columbus, Ohio Nº 158199

County Butter 1	ownship St	Sair or	ction of Township Lot Number	Joh #1
Owner				
Location				
CONSTRUCTION	DETAILS	to 1. to a p	ann o i' o o suit Pade got en PUMP I	ING TEST
Casing diameter H.M. BUOTE engi	th of casing 50	26 Pumpin	g rate bar G.P.1	M. Duration of testhrs.
Type of screen Length	th of screen	Drawdo	wn i mer fe	Date March 29 5%
Type of pump		,	ed capacity	
Capacity of pump		Static 1	level_depth to wat	er 20 2t ft
Depth of pump setting		Pump i	nstalled by	· .
samerula , la grava.	gaine in a com	·*`	unioni sul si mili	
WELL LOG				WING LOCATION
Formations Sandstone, shale, limestone, gravel and clay	mast & Australia	,	Locate in refe	rence to numbered rections, County roads, etc.
ំ ក្រុម ការកំណុង ១០០ ការី ខេត្ត () ការកំណុង ១០០ ១០០ ការកំណុំ ១៤៤ ១០ ១០១ ការកំណុំ	The first of the second			
Drilling Firm January Address Hannelbu	pool.	·	March Herkert	29. 1956 Tanderpool

WILL LOG AND DRILLING REPORT

State of Obio
DEPARTMENT OF NATURAL RESOURCES

Division of Water 1500 Dublin Road

No. 217444

Owner _ Location			
CONSTRUCTION	DETAILS	}	BAILING OR PUMPING TEST
Casing diameterLes	gth of casi	18 HR	Pumping rate
Type of screenLe			Drawdownft. Date
Type of pump			Developed capacity
apacity of pump		···	Ştatic level—depth to water
epth of pump setting	<u> </u>	·	Pump installed by
ete of completion			Bally tast 15G. PM.
WELL LO)G		SKETCH SHOWING LOCATION
Formations Sandstone, shale, limestone, gravel and clay	From	To	Locate in reference to numbered State Highways, St. Intersections, County roads, et
Clay	0 Feet	_2_Ft.	Non responsive
Chy Gravel ::	2	48	•
• • . • .			
•			
•	l ·		
	.,.		V
			•
•••••		***	
	· ·:.		
		l	
•		1	
er : W1 1 2 2 4 4 4			
·			266 Leagues erids for instructions
Drilling Firm	. معد	•	Date #0 25 1919

WELL LOG AND DRILLING REPORT

State of Ohio

DEPARTMENT OF NATURAL RESOURCES

Division of Water Fountain Square Columbus, Ohio 43224 619500

NO CARBON PAPER NECESSARY-SELF-TRANSCRIBING

LOCATI			
CONSTRUCTION	DETAILS		BAILING OR PUMPING TEST (specify one by circling)
sing diameter 538 Len	gth of casing_	71	Test rate 20 gpm Duration of test 2
	gth of screen		Drawdown 51 n Date 6 - 13 - 94
e of pump			Static level (depth to water) 40
secity of pump			Quality (clear, floud), taste, odor) Cloudy
oth of pump setting		 	Pump installed by
WELL LOG	• 		SKETCH SHOWING LOCATION
Formations: sandstone, shale, limestone, gravel, clay	From	To	Locate in reference to numbered state highways, street intersections, county roads, etc.
RAVEL Base	0 ft	2 "	NON RESPONSIVE
DAVelu Clau	2	5	
SANO	5	3/6	
day	40	41	
and with water	41	60	
seviel water	60	71	
·			
			
· · · · · · · · · · · · · · · · · · ·			
		·	
		- , ,	
V -			5
			DATE 6-18- PY
			SIGNED (1) C. Dreadway

Nº 366568

WELLLOG AND DRILLING REPORT

PLEASE USE PENCIL OR TYPEWRITER

State of Ohio DEPARTMENT OF NATURAL RESOURCES

Division of Water

1562 W. Ricut Avenue

DO NOT USE INK.	C	olumbus, O	hio 43212
county Butler	Township	SFCI	Section of Township 15
Owner Don Cisi	/a A	#Inc	Address Hamilton D
Location of property			
CONSTRUCTION	DETAILS		BAILING OR PUMPING TEST
Casing diameter & Len	gth of casin	×72	Pumping Rate 500 G.P.M. Duration of test. 8 hrs
Type of screen See below Len			Drawdown // ft. Date
Type of pump	····		Static level-depth to water 17
Capacity of pump		······································	Quality (clear, cloudy, taste, odor)
Depth of pump setting			
Date of completion			Pump installed by W Crane
WELL LO)G*		SKETCH SHOWING LOCATION
Formations Sandstone, shale, limestone, gravel and clay	From	To	Locate in reference to numbered State Highways, St. Intersections, County roads, etc.
	0 Feet	Ft.	N.
Jandt gravel	0	5	
Yellow clay	حي ا	12	\ .
Sand & graze!	12	21	
Blue clay	21	32	
Sande gravel	32	60	
Sand	60	65-	W4/10 mi -0 E.
Sandagravel	65	84	4/10/11
Coarse sand	84	87	au Rd /
Cook bruse strai	421 15	_	Austourge Rd
Top 5- #60	·	<u> </u>	1 to
Middle 5" # 80		·	
etton 5 # 30			See reverse side for instructions
	MHE		Date 11/5-168
rilling Firm W/M C/	110		Signed Miller
	,, -		Alemen II TO I TO THE TOTAL TO THE TOTAL TOTAL TOTAL TOTAL TO THE TOTAL

#If additional space is needed to complete well log, use next consecutive numbered

ORIGINAL

NO CARBON PAPER NECESSARY-SELF-TRANSCRIBING

State of Ohio DEPARTMENT OF NATURAL RESOURCES Division of Water Fountain Square Columbus, Ohio 43224

530983

COUNTY OWNER	RESPONSIVE TOWNSHIP	. St Clair	SECTION OF TOWNSHIP	15	
·	CONSTRUCTION DETAILS		BAULING OR PUMPIN	G TEST	

CONSTRUCTION	PETAILS		topedity one by circling)
Type of screenLen Len Len Len Len Len Len			Test rate
WELL LOG	• 		SKETCH SHOWING LOCATION
Formetions: sandstone, shale, limestone, gravel, clay	From	То	Locate in reference to numbered state highways, street intersections, county roads, etc.
topsail Sandagiand Sandy day	5 37 5	5 " 37 42.	NON RESPONSIVE

DRILLING FAREADWAY WEI ADDRESS 3775 Taylor School Rd.

of additional space is needed to complete well log, use next consecutive numbered form.

6,0 1,5 2,5 County Butle	608 2.9 оню	SQLEState WATER RI epartment of Broad St.,	of Chicagno service of to the color of Chicagno service of to the color of the colo
Owner Oscales. Location of property	new ?	nian	LADARION, New Miason, O. in Olis Month of Hamil
CONSTRUC	TION DETAILS		PUMPING TEST
ype of screen ype of pump apacity of pump epth of pump setting	Length of casing		Pumping rate G.P.M. Duration of test Drawdown ft. Date dising Developed capacity 120 Jalo bear Static level of completed well 48 ft
WI Formations	ELL LOG	EMOITO	UNITED SKETCH SHOWING LOCATION
Sandstone, shale, limest gravel and clay	one, From	in To	Locate in reference to numbered State Highways, St. Intersections, County roads, etc.
rockt shi	clay o Feet Le 57'	70/	Where in New Miani? Augsburger are at 1340.
A comment		1. (1.20 to 12.12 to	From the angle of the control of the
		M 1.111	w .
<u>.</u>			
· ·	,1.		
· · · · · · · · · · · · · · · · · · ·			S. See reverse side for instructions
Address R. R.S	: L. Tre	_ 4	Signed V. L. Theadway

ORIGINAL

State of Ohio

DEPARTMENT OF NATURAL RESOURCES

570962

NO CARBON PAPER NECESSARY-SELF-TRANSCRIBING

Division of Water Fountain Square Columbus, Ohio 43224

Casing diameter Length of casing Test rate gpm Duration of test Type of screen Drawdown ft Date Drawdown	LOCATION OF PROPERTY	Yen Mi		Hamilton O
ype of screen	CONSTRUCTION	DETÁILS		BAILING OR PUMPING TEST (specify one by circling)
Appecity of pump Depth of pump setting WELL LOG* SKETCH SHOWING LOCATION Formations: sandstone, shale, limestone, gravel, clay From To Depth of pump setting SKETCH SHOWING LOCATION Locate in reference to numbered state highways, street intersections, county roads, etc. N Brown Clay 35 Clay offare/ 35 41	casing diameter Length	• •	A.A.	Drawdown 4 ft Date 8//
Pump installed by WELL LOG* SKETCH SHOWING LOCATION Formations: sandstone, shale, limestone, gravel, clay Oft ZCft N Clay GFAre/ 35 41	/pe of pump			Static level (depth to water) 3/6"
WELL LOG* WELL LOG* SKETCH SHOWING LOCATION Formations: sandstone, shale, limestone, gravel, clay Oft Clay Clay Gravel SKETCH SHOWING LOCATION Locate in reference to numbered state highways, street intersections, county roads, etc. N Clay Clay Oft Clay To SKETCH SHOWING LOCATION Locate in reference to numbered state highways, street intersections, county roads, etc. N Clay Clay Oft Clay To SKETCH SHOWING LOCATION Locate in reference to numbered state highways, street intersections, county roads, etc. N	spacity of pump	·		Quality (clear, cloudy, taste, odor)
WELL LOG* SKETCH SHOWING LOCATION Formations: sendstone, shale, limestone, gravel, clay Oft Clay Clay Clay SKETCH SHOWING LOCATION Locate in reference to numbered state highways, street intersections, county roads, etc. N Clay Clay GFATE SKETCH SHOWING LOCATION Locate in reference to numbered state highways, street intersections, county roads, etc. N Clay Clay GFATE 35 41	epth of pump setting			
Formations: sandstone, shale, from To Locate in reference to numbered state highways, street intersections, county roads, etc. Fill 0ft ZZ ft Brown Clay 22 35. Clay offare 35 41	ete of completion			Pump installed by
From To state highways, street intersections, county roads, etc. Fill 0ft ZZft N Brown Clay 22 35. Clay 4 offare 35 41	WELL LOG			SKETCH SHOWING LOCATION
Brown clay 22 35. Clave office 35 41		From	То	Locate in reference to numbered state highways, street intersections, county roads, etc.
Claus Office 35 41	Fill	0 ft	ZZh	N
Clave office 35 41	Brown clay	22	35	
Sandegravel 41 47 Blue clay was gravel 49 Sandegravel 49 56 Blue clay Augspurger Augspurger Augspurger		35	41	
Blue clay society 49 52 Since clay Super Clay Super Clay Augspare gen Augspare gen	Sandegracel	41	47	
Sandagravel 49 52 Blue clay 52 Augspurger Augspurger	Blur clay someone	147	49	1 ion rad
Blue clay Augspurger Augspurger S		49	56	1 1 100 100 100 100
W Augspurs	Blueday	30		1 Top ack
W Augst				1 1 Jana Para
	<u> </u>		<u> </u>	W myst
] - 4/1 hrs
S S				l TF
			·]]
S S			<u> </u>	
S S	<u>, </u>		<u> </u>	
S S]
	·) / s
DRILLING SIEM W/M CYATIS DATE 2/1/80	. /m			

CONSTRUCTION DETAILS Casing diameter 6 Length of casing 70 Pumping rate CPM Duration of test Type of screen William Length of screen Drawdown late of Date Type of pump Capacity of pump Capacity of pump Depth of pump setting WELL LOG Formations Sandstone, shale, limestone, gravel and clay gravel	owner S. S. Cisle	NORTH		Address 808 Einst Not Bank Han SPURBER. RD WEST. BYD. A.R.
Casing diameter 6 Length of casing 70 Pumping rate G.P.M. Duration of test Type of screen 50 Length of screen 50 Drawdown. Type of pump Developed capacity Developed capacity Static level—depth to water 30 Pump installed by WELL LOG WELL LOG SKETCH SHOWING LOCATION Formations Sandstone, shale, limestone, gravel and clay Quantity O Feet A. Ft. O Feet A. Ft. N. Water 70ff Water 70ff Mater 70ff Mat	MILE, ENEW A	K/AM/. Miles one « DETAILS	y dayellor c	dt son sin's in essemne adh poil as 101-804 and PUMPING TEST
Type of pump Capacity of pump Developed capacity Static level—depth to water 10 WELL LOG WELL LOG SKETCH SHOWING LOCATION Formations Sandstone, shale, limestone, gravel and clay Quality To State Highways, St. Intersections, County roads, etc. Quality Make 70ff Make 70ff Make 70ff		th of casing.	703	Pumping rate G.P.M. Duration of test 1
Capacity of pump Depth of pump setting WELL LOG WELL LOG SKETCH SHOWING LOCATION Formations Sandstone, shale, limestone, gravel and clay O Feet Al Ft. Olay guil, 13 65 Andrew Foff Maken Foff Maken Foff Maken Foff Maken Foff Maken Foff Al Static level depth to water 3.0 Static leve	· • • • • • • • • • • • • • • • • • • •	in of screen.		Drawdown issues a ret Date : Signification of the state o
Depth of pump setting WELL LOG SKETCH SHOWING LOCATION Formations Sandstone, shale; limestone, gravel and clay Gravel and clay O Feet A. Ft. N. Clay qual bands Mater 70ff Mater 70ff		2 8 7° 45.0%	·	
WELL LOG SKETCH SHOWING LOCATION Formations Sandstone, shale, limestone, gravel and clay O Feet As Ft. N. Clay quiet Joseph As Ft. N. Halin Foft Malin Foft As A	• •			
Formations Sandstone, shale, limestone, gravel and clay O Feet Make Toff Make Toff Locate in reference to numbered State Highways, St. Intersections, County roads, etc. N. Make Toff Make Toff Adam Toff Description of the state of				Description of the control of the co
Sandstone, shale, limestone, gravel and clay Gravel Sands Gravel Sands		 	, _	
grand bands 65 70 Hater 70fh As a so	Sandstone, shale, limestone,	· From	51 (To) - 5	
grand Sandi 65 70 Water 70fh A B Bh	granti	0 Feet	Ft.	1.
Hater 70ft	Chaz gunt	スン	63	i i i i i i i i i i i i i i i i i i i
al al	grand Sandi	6.5	70	Production of the San State Park and the Control of the
al al			11.11.11.11	
al al	3			7.1
a la	at to sall			P
W. Agraphic Relations of the second s	Male 1 gr			7 6
Samuel S. S.			!	W. A. Brief
S. S.		.ar, 10.		W. June
		ا کیا ا		ange
S				3
S. S.				3
S. S.	,			
S.				
S.				
	·			S.
See reverse side for instructions	i	ļ	<u> </u>	See reverse side for instructions



Ohio Department of Natural Resources Division of Water Phone: 614-265-6740 Fax: 614-265-6767.

Well Log Number: 217444

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address:

City: Location Number: 37

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 4 in.

Well Use:

Aquifer Type: GRAVEL

WELL TEST DETAILS

Static Water Level:

Drawdown:

Test Rate: 15 gpm

Depth to Bedrock:

Casing Thickness:

Screen Length:

Test Duration:

Township: ST. CLAIR

State: OH

Location Map Year: 1984

Driller's Name: HOOVER J B

Longitude:

Section Number: 14

Lot Number: Zip Code:

Location Area:

Total Depth: 48 ff. Casing Length: 48 ft.

Date of Completion: 10/25/1959

Associated Reports

NONE

COMMENTS:

WELL LOG Formations CLAY

GRAVEL

Erom To

0 - 2

2 - 48

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources **Division of Water** Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 79271

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address:

City:

Location Number: 48

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 6 in.

Well Use:

Aguifer Type: SAND AND GRAVEL

WELL TEST DETAILS

Static Water Level: 30 ft.

Drawdown:

COMMENTS:

WELL LOG

rations ÆL GRAVEL & CLAY

SAND & GRAVEL

WATER AT

Township: ST. CLAIR

Section Number: 15

Lot Number:

State: OH

Location Map Year: 1988

Longitude:

Depth to Bedrock:

Casing Thickness:

Screen Length:

Zip Code: Location Area:

Total Depth: 70 ft. Casing Length: 70 ft.

Date of Completion: 4/22/1953

Driller's Name: TAGGART PUMP REPAIR & WELL DRLG

Test Rate: Test Duration:

Associated Reports

NONE

From To

0 - 25

25 - 65

65 - 70

70 - 70

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources Division of Water Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 48629

ORIGINAL OWNER AND LOCATION

Original Owner Name: AMERICAN MATERIALS

County: BUTLER

Address: AUGSPURGÉR ROAD

City:

Location Number: 48

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 8 in.

Well Use:

Aquifer Type: SHALE AND SANDSTONE

WELL TEST DETAILS Static Water Level: 48 ft.

Drawdown:

ELL LOG

COMMENTS:

rmations GRAVEL/SAND/CLAY

SHALE & SANDSTONE

Township: ST. CLAIR

State: OH

Location Map Year: 1988

Longitude:

Depth to Bedrock: Casing Thickness:

Screen Length:

Driller's Name: TREADWAY V L

Test Rate:

Test Duration:

Section Number: 14

Lot Number: Zip Code:

Location Area:

Total Depth: 70 ft. Casing Length: 57 ft.

Date of Completion: 4/27/1949

Associated Reports

NONE

From To 0 - 57

57 - 70

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources Division of Water

Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 212713

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address:

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1969

Longitude:

Section Number: 15

Lot Number:

Zip Code:

Location Area:

CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4.25 in.

Well Use:

Aquifer Type: GRAVEL

Depth to Bedrock: Casing Thickness:

Screen Length:

Total Depth: 43 ft.

Casing Length: 43 ft.

Date of Completion: 11/4/1981

Driller's Name: TAGGART PUMP REPAIR & WELL DRLG

WELL TEST DETAILS

Static Water Level: 21 ft.

Drawdown: 0 ft.

Test Rate: 5 gpm

Test Duration: 2 hrs.

Associated Reports

NONE

COMMENTS:

WELL LOG

F-mations **.VEL & SAND** CLAY SAND CLAY GRAVEL

From To 0 - 25

> 25 - 35 35 - 38

> 38 - 40

40 - 43

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources Division of Water

Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 735518

ORIGINAL OWNER AND LOCATION

Original Owner Name: PIERSON ELECTRIC

County: BUTLER

Address: 2105 CALDWELL STREET

City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 6 in.

Well Use: DOMESTIC

Aquifer Type: SAND AND GRAVEL

WELL TEST DETAILS

Static Water Level: 22 ft.

Drawdown: 10 ft.

COMMENTS:

Township: ST. CLAIR

Section Number:

Lot Number: Zip Code:

State: OH Location Map Year:

Location Area:

Longitude:

Depth to Bedrock:

Screen Length:

Casing Thickness:

Total Depth: 40 ft. Casing Length: 40 ft.

Date of Completion: 9/2/1991

Driller's Name: WILSON WELL DRLG, VERL

Test Rate: 20 gpm

Associated Reports

Test Duration; 2 hrs.

NONE

NELL LOG ormations **BRN CLAY**

SAND & GRAVEL

CLAY

From To

0 - 2

2 - 38

38 - 40

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources
Division of Water
Phone: 614-265-6740 Fax: 614-265-6767

4

Well Log Number: 135820

ORIGINAL OWNER AND LOCATION

Original Owner Name: NON RESPONSIVE

County: BUTLER

Address: NON RESP

City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 4.25 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

WELL TEST DETAILS Static Water Level: 21 ft.

Drawdown: 4 ft.

COMMENTS: WELL LOG

SOIL SAND & GRAVEL

HARDPAN SAND & GRAVEL Township: ST. CLAIR

Location Map Year: 1969

Section Number: 15

Lot Number:

State: OH

Zip Code: Location Area:

Longitude:

Depth to Bedrock: Casing Thickness: Total Depth: 43 ft. Casing Length: 43 ft.

Screen Length:

Date of Completion: 10/20/1954

Driller's Name: TREADWAY DRILLING

Test Rate: 6 gpm

Test Duration: 1 hrs.

Associated Reports

NONE

From To

4 - 34

4 - 3

34 - 40

40 - 43

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources
Division of Water
Phone: 614-265-6740 Fax: 614-265-6767

7

Well Log Number: 38191

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address:

City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 4 in.

Well Use:

Aguifer Type: GRAVEL AND SAND

WELL TEST DETAILS Static Water Level: 28 ft.

Drawdown:

COMMENTS:

Township: ST. CLAIR

Location Map Year: 1969

State: OH

Longitude:

Section Number: 15

Lot Number: Zip Code:

Location Area:

Depth to Bedrock: Casing Thickness:

Screen Length: Driller's Name: Total Depth: 47 ft.

Casing Length: 47 ft.

Date of Completion: 11/21/1953

Test Rate: Test Duration:

Associated Reports

NONE

WELL LOG
Formations
GRAVEL & SAND

CLAY WATER AT From To 0 - 34 34 - 47

47 - 47

Printing Tips (opens in new window)

OR use your prowsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources Division of Water Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 785365

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address: City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Borehole Diameter: Casing Diameter: 6.25 in. Casing Diameter:

Well Use: DOMESTIC

Aquifer Type: SAND AND GRAVEL

WELL TEST DETAILS

Drawdown: 3 ft.

State: OH

Longitude:

Township: ST. CLAIR

Location Map Year:

Depth to Bedrock:

Casing Thickness:

Casing Thickness:

Screen Length: 3 ft.

Casing Length; 48 ft. Casing Length: 48 ft.

Total Depth: 50 ft.

Section Number:

Lot Number:

Location Area:

Zip Code:

Date of Completion: 10/1/1993

Driller's Name: YEAGER WELL DRILLING & PUMPS

Static Water Level: 22 ft.

Test Rate: 20 gpm Test Duration: 0.5 hrs. **Associated Reports**

NONE

COMMENTS:

T LOG

Formations TOP SOIL YEL GRAVELLY CLAY

SAND & GRAVEL

CLAY

SAND & GRAVEL

From To

0 - 3

3 - 8 8 - 31

31 - 40

40 - 50

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources Division of Water

Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 624391

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address:

City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 6 in.

Well Use:

Aguifer Type: SAND AND GRAVEL

WELL TEST DETAILS

Static Water Level: 20 ft.

Drawdown: 2 ft.

COMMENTS:

Township: ST. CLAIR

Location Map Year: 1988

Section Number:

Lot Number:

Zip Code:

Location Area:

Longitude:

State: OH

Depth to Bedrock:

Total Depth: 65 ft. **Casing Thickness:** Casing Length: 65 ft.

Screen Length: Date of Completion: 10/3/1985

Driller's Name: TREADWAY DRILLING

Test Rate: 20 gpm

Associated Reports

Test Duration: 1 hrs. NONE

WELL LOG Formations

TOP SOIL YEL SOIL SAND

GRAVELLY CLAY SAND & GRAVEL From To

0 - 4

4 - 15 15 - 35

35 - 38

38 - 65

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.



Ohio Department of Natural Resources
Division of Water

Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 79295

ORIGINAL OWNER AND LOCATION

Original Owner Name:

County: BUTLER

Address: NON RESPONS

City:

Location Number:

Latitude:

CONSTRUCTION DETAILS

Borehole Diameter: Casing Diameter: 4 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

WELL TEST DETAILS Static Water Level: 25 ft.

Drawdown:

COMMENTS:

WELL LOG

mations 2 SOIL

SAND & GRAVEL RED SAND & CLAY

SAND & GRAVEL

Township: ST. CLAIR

Section Number: 15

Lot Number:

State: OH

Zip Code: Location Area:

Location Map Year: 1969 Longitude:

.

Depth to Bedrock: Total Depth: 52 ft.
Casing Thickness: Casing Length: 53

Casing Thickness: Casing Length: 53 ft.
Screen Length: Date of Completion: 7/21/1954

Driller's Name: TAGGART PUMP REPAIR & WELL DRLG

Test Rate: Test Duration: **Associated Reports**

NONE

From To

0 - 9

9 - 25

25 - 47

47 - 52

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

